

Application No. 10/039,370
Amendment dated June 7, 2004
Reply to Office Action of April 7, 2004

AMENDMENTS TO THE CLAIMS

Please add new claim 10 as follows.

1. (Original) A ring mountable calculator which may be removably attached in a ring binder, the calculator comprising:
 - a housing having a first edge, and a second edge adjacent said first edge;
 - a calculator disposed in the housing;
 - one set of apertures disposed in one configuration on said first edge; and
 - another set of apertures disposed in another configuration on said second edge.
2. (Original) The calculator of claim 1 wherein said one set of apertures is sized and spaced to fit a first ring binder having four rings proximate one corresponding edge of the binder, and said another set of apertures is sized and spaced to fit rings of a second ring binder with rings disposed proximate another corresponding adjacent edge of the second binder.
3. (Original) The calculator of claim 2 wherein said first ring binder is an FAA chart binder and wherein said second ring binder is a Jeppesen® chart binder.
4. (Original) The calculator of claim 2 wherein said second ring binder is one of a Jeppesen® chart binder and a three-ring binder.

Application No. 10/039,370
Amendment dated June 7, 2004
Reply to Office Action of April 7, 2004

5. (Original) The calculator of claim 1 wherein said other set of said apertures comprises hole-shaped apertures and slot-shaped apertures for attachment of a calculator to at least two binders having rings oriented in different configurations relative to each other.

6. (Original) The calculator of claim 1 wherein said calculator and said housing are integral.

7. (Original) A calculator having a side edge and another adjacent edge and comprising:

one set of apertures disposed on a side edge of the calculator; and
another set of apertures disposed on the adjacent edge of the calculator.

8. (Original) A calculator as in claim 7 wherein said edges are perpendicular to each other and said apertures on said side edge are in a different orientation than the orientation of apertures on the adjacent edge.

9. (Original) A calculator as in claim 8 wherein said apertures on said side edge have a configuration which accepts rings of different binders, the different binders having at least two different ring orientations.

Application No. 10/039,370
Amendment dated June 7, 2004
Reply to Office Action of April 7, 2004

10. (New) A ring mountable calculator which may be removably attached in a ring binder, the calculator comprising:

- a housing having a first edge, and a second edge adjacent said first edge;
- a calculator disposed in said housing;
- a plurality of first apertures disposed on said first edge; and
- a plurality of second and third apertures disposed on said second edge, said second and third apertures comprising hole-shaped apertures and slot-shaped apertures disposed on said second edge in an alternating arrangement.